

Bis-aminoxy-PEG7

Chemical Properties

CAS No. : 1383980-52-6

Formula: C16H36N2O9

Molecular Weight: 400.47

Keep away from direct sunlight

Storage: Powder: -20°C for 3 years | In solvent: -80°C for 1 year

Actual storage temperature shall be subject to the COA.



Biological Description

| | |
|---------------|--|
| Description | Bis-aminoxy-PEG7, a PEG-based linker for PROTACs, facilitates the formation of PROTAC molecules by joining two essential ligands. This linker enables selective protein degradation by leveraging the ubiquitin-proteasome system within cells. |
| Targets(IC50) | Others,PROTAC Linker |
| In vitro | PROTACs utilize two distinct ligands connected by a linker: one ligand targets an E3 ubiquitin ligase, and the other binds to the target protein. They leverage the intracellular ubiquitin-proteasome system to selectively degrade target proteins[1]. |

Preparing Stock Solutions

| | 1mg | 5mg | 10mg |
|-------|-----------|------------|------------|
| 1 mM | 2.4971 mL | 12.4853 mL | 24.9707 mL |
| 5 mM | 0.4994 mL | 2.4971 mL | 4.9941 mL |
| 10 mM | 0.2497 mL | 1.2485 mL | 2.4971 mL |
| 50 mM | 0.0499 mL | 0.2497 mL | 0.4994 mL |

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

Reference

An S, et al. Small-molecule PROTACs: An emerging and promising approach for the development of targeted therapy drugs. EBioMedicine. 2018 Oct;36:553-562

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481