


Chlorogenic Acid

Chemical Properties

CAS No. :	327-97-9
Formula:	C16H18O9
Molecular Weight:	354.31
Storage:	Powder: -20°C for 3 years In solvent: -80°C for 1 year Actual storage temperature shall be subject to the COA.



Biological Description

Description	Chlorogenic acid is a natural phenol found in honeysuckle. Chlorogenic acid has a wide range of biological activities including anti-inflammatory, antioxidant, antitumor, antimicrobial, and neuroprotective.
Targets(IC50)	Reactive Oxygen Species, HIF/HIF Prolyl-Hydroxylase, Endogenous Metabolite, Antibacterial, Influenza Virus, ROS
In vitro	<p>METHODS: Human colorectal cancer cells Caco-2 were treated with Chlorogenic acid (50-1000 μM) for 24 h and cell viability was measured by MTT assay.</p> <p>RESULTS: Proliferation of Chlorogenic acid-treated cells was significantly reduced, starting at the lowest tested concentration (50 μM), with an EC50 of $758 \pm 19.09 \mu$M. [1]</p> <p>METHODS: Mouse mammary carcinoma cells 4T1 were treated with Chlorogenic acid (50-200 μM) for 24 h to enable detection of apoptosis by Flow cytometry.</p> <p>RESULTS: In the early stage, the level of apoptotic cells (Annexin V+/PI-) increased significantly from 1.14% to 0.04%, 34.56%, 40.9% and 37.46% with increasing concentrations of Chlorogenic acid (0, 50, 100, 150 and 200 μM, respectively). Whereas, in the late phase, when the cells were treated with Chlorogenic acid, the apoptotic cell ratio (Annexin V+/PI+) significantly increased from 2.34% to 2.08%, 13.45%, 17.7% and 29.06%, respectively. [2]</p>
In vivo	<p>METHODS: To assess the anti-obesity effects, Chlorogenic acid (150 mg/kg) was administered by gavage to ICR mice on a high-fat diet model (HFD) once daily for six weeks.</p> <p>RESULTS: Administration of Chlorogenic acid significantly promoted weight loss, decreased plasma lipid levels, and altered mRNA expression of genes related to adipogenesis and lipolysis in adipose tissue. [2]</p>

Solubility Information

Solubility	Ethanol: 66 mg/mL (186.28 mM), Sonication is recommended. DMSO: 237 mg/mL (668.91 mM), Sonication is recommended. H2O: 10 mg/mL (28.22 mM), Sonication is recommended. (< 1 mg/ml refers to the product slightly soluble or insoluble)
In vivo Formulation	10% DMSO+40% PEG300+5% Tween 80+45% Saline: 5 mg/mL (14.11 mM), Sonication is recommended. <i>Please add the solvents sequentially, clarifying the solution as much as possible before adding the next one. Dissolve by heating and/or sonication if necessary. Working solution is recommended to be prepared and</i>

A DRUG SCREENING EXPERT

In vivo Formulation	<i>used immediately. The formulation provided above is for reference purposes only. In vivo formulations may vary and should be modified based on specific experimental conditions.</i>
---------------------	---

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	2.8224 mL	14.1119 mL	28.2239 mL
5 mM	0.5645 mL	2.8224 mL	5.6448 mL
10 mM	0.2822 mL	1.4112 mL	2.8224 mL
50 mM	0.0564 mL	0.2822 mL	0.5645 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

Reference

- Sadeghi Ekbatan S, et al. Chlorogenic Acid and Its Microbial Metabolites Exert Anti-Proliferative Effects, S-Phase Cell-Cycle Arrest and Apoptosis in Human Colon Cancer Caco-2 Cells. *Int J Mol Sci.* 2018 Mar 3;19(3):723.
- Jang S A, Hwang Y H, Yang H, et al. Ethanolic extract of *Pyrrhosia lingua* (Thunb.) Farw. ameliorates OVX-induced bone loss and RANKL-induced osteoclastogenesis. *Biomedicine & Pharmacotherapy.* 2022, 147: 112640.
- Changizi Z, et al. Chlorogenic acid inhibits growth of 4T1 breast cancer cells through involvement in Bax/Bcl2 pathway. *J Cancer Res Ther.* 2020 Oct-Dec;16(6):1435-1442.
- Jang S A, Hwang Y H, Yang H, et al. Water Extract of *Mentha arvensis* L. Attenuates Estrogen Deficiency-Induced Bone Loss by Inhibiting Osteoclast Differentiation. *Frontiers in Pharmacology.* 2021, 12.
- Shim K S, Hwang Y H, Jang S A, et al. Water Extract of *Lysimachia christinae* Inhibits Trabecular Bone Loss and Fat Accumulation in Ovariectomized Mice. *Nutrients.* 2020, 12(7): 1927
- Wang Z, et al. Chlorogenic acid alleviates obesity and modulates gut microbiota in high-fat-fed mice. *Food Sci Nutr.* 2019 Jan 28;7(2):579-588.
- Jiang H, Chen J, Li X, et al. Systematic Identification of Chemical Components in Fufang Shuanghua Oral Liquid and Screening of Potential Active Components Against SARS-CoV-2 Protease. *Journal of Pharmaceutical and Biomedical Analysis.* 2022: 115118.
- Jang S A, Hwang Y H, Kim T, et al. Anti-Osteoporotic and Anti-Adipogenic Effects of the Water Extract of *Drynaria roosii* Nakaike in Ovariectomized Mice Fed a High-Fat Diet. *Molecules.* 2019, 24(17): 3051
- Jung M A, Song H K, Jo K, et al. *Gleditsia sinensis* Lam. aqueous extract attenuates nasal inflammation in allergic rhinitis by inhibiting MUC5AC production through suppression of the STAT3/STAT6 pathway. *Biomedicine & Pharmacotherapy.* 2023, 161: 114482.
- Jiang H, Chen J, Li X, et al. Systematic identification of chemical components in Fufang Shuanghua oral liquid and screening of potential active components against SARS-CoV-2 protease. *Journal of Pharmaceutical and Biomedical Analysis.* 2023, 223: 115118.
- Lee S J, Yang H, Kim S C, et al. Ethanol Extract of *Radix Asteris* Suppresses Osteoclast Differentiation and Alleviates Osteoporosis. *International Journal of Molecular Sciences.* 2023, 24(22): 16526.
- Seo J, Hwang Y H, Lee A, et al. Ethanolic Extract of *Bergenia purpurascens* Exhibits Antimelanogenic Effects in B16F10 Cells through Multiple Mechanisms That Suppress Tyrosinase. *Journal of Agricultural and Food Chemistry.* 2024

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481