


Paeoniflorin

Chemical Properties

CAS No. :	23180-57-6
Formula:	C ₂₃ H ₂₈ O ₁₁
Molecular Weight:	480.46
Storage:	Powder: -20°C for 3 years In solvent: -80°C for 1 year Actual storage temperature shall be subject to the COA.



Biological Description

Description	Paeoniflorin (Peoniflorin) is a herbal constituent extracted from the root of <i>Paeonia albiflora</i> Pall.
Targets(IC50)	HSP, COX

Solubility Information

Solubility	DMSO: 260 mg/mL (541.15 mM), Sonication is recommended. H ₂ O: 100 mg/mL (208.13 mM), Sonication is recommended. (< 1 mg/ml refers to the product slightly soluble or insoluble)
In vivo Formulation	5% DMSO+95% Saline: 1.35 mg/mL (2.81 mM), Solution. <i>Please add the solvents sequentially, clarifying the solution as much as possible before adding the next one. Dissolve by heating and/or sonication if necessary. Working solution is recommended to be prepared and used immediately. The formulation provided above is for reference purposes only. In vivo formulations may vary and should be modified based on specific experimental conditions.</i>

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	2.0813 mL	10.4067 mL	20.8134 mL
5 mM	0.4163 mL	2.0813 mL	4.1627 mL
10 mM	0.2081 mL	1.0407 mL	2.0813 mL
50 mM	0.0416 mL	0.2081 mL	0.4163 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

Reference

Cao BY, et al. J Ethnopharmacol, 2010. 131(1): p. 122-9.

Meng L, Lv H, Kong Q, et al. The combination of paeoniflorin and metformin synergistically inhibits the progression of liver fibrosis in mice. European Journal of Pharmacology. 2024: 176917.

Takeuchi, T., et al., Effect of paeoniflorin, glycyrrhizin and glycyrrhetic acid on ovarian androgen production. Am J Chin Med, 1991. 19(1): p. 73-8.

Lu R Y, Ling Z Y, Chen L L, et al. Anti-sepsis effects of Dahuang Mudan decoction and its disassembled prescriptions. Journal of Ethnopharmacology. 2024: 119248.

Yan, D., et al., Paeoniflorin, a novel heat shock protein-inducing compound. Cell Stress Chaperones, 2004. 9(4): p. 378-89.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel: 781-999-4286 E_mail: info@targetmol.com Address: 34 Washington Street, Wellesley Hills, MA 02481