


## BET bromodomain inhibitor

## Chemical Properties

CAS No. :	1505453-59-7
Formula:	C <sub>24</sub> H <sub>20</sub> ClN <sub>5</sub> O <sub>2</sub>
Molecular Weight:	445.9
Storage:	Powder: -20°C for 3 years   In solvent: -80°C for 1 year Actual storage temperature shall be subject to the COA.



## Biological Description

Description	BET bromodomain inhibitor is a potent BET inhibitor.
Targets(IC50)	Epigenetic Reader Domain

## Solubility Information

Solubility	DMSO: 50 mg/mL (112.13 mM), Sonication is recommended. (< 1 mg/ml refers to the product slightly soluble or insoluble)
In vivo Formulation	10% DMSO+40% PEG300+5% Tween 80+45% Saline: 2 mg/mL (4.49 mM), Sonication is recommended. <i>Please add the solvents sequentially, clarifying the solution as much as possible before adding the next one. Dissolve by heating and/or sonication if necessary. Working solution is recommended to be prepared and used immediately. The formulation provided above is for reference purposes only. In vivo formulations may vary and should be modified based on specific experimental conditions.</i>

## Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	2.2427 mL	11.2133 mL	22.4266 mL
5 mM	0.4485 mL	2.2427 mL	4.4853 mL
10 mM	0.2243 mL	1.1213 mL	2.2427 mL
50 mM	0.0449 mL	0.2243 mL	0.4485 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

Reference

Xiao Y, et al. Rheumatology (Oxford). 2015 Aug 31.

**Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins**

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E\_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481