


PEG5-Tos

Chemical Properties

CAS No. :	155130-15-7
Formula:	C17H28O8S
Molecular Weight:	392.46
Storage:	Keep away from direct sunlight Powder: -20°C for 3 years In solvent: -80°C for 1 year <small>Actual storage temperature shall be subject to the COA.</small>



Biological Description

Description	PEG5-Tos is a PEG-based linker for PROTACs that connects two essential ligands, facilitating the formation of PROTAC molecules and enabling selective protein degradation via the ubiquitin-proteasome system within cells.
Targets(IC50)	Others,PROTAC Linker
In vitro	PROTACs, consisting of two ligands connected by a linker—one binding to an E3 ubiquitin ligase and the other to the target protein—utilize the intracellular ubiquitin-proteasome system to selectively degrade target proteins [1].

Solubility Information

Solubility	H2O: 100 mg/mL (254.8 mM),Sonication is recommended. DMSO: 100 mg/mL (254.8 mM),Sonication is recommended. (< 1 mg/ml refers to the product slightly soluble or insoluble)
In vivo Formulation	10% DMSO+40% PEG300+5% Tween-80+45% Saline: 3.3 mg/mL (8.41 mM),Sonication is recommended. <i>Please add the solvents sequentially, clarifying the solution as much as possible before adding the next one. Dissolve by heating and/or sonication if necessary. Working solution is recommended to be prepared and used immediately. The formulation provided above is for reference purposes only. In vivo formulations may vary and should be modified based on specific experimental conditions.</i>

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	2.548 mL	12.7402 mL	25.4803 mL
5 mM	0.5096 mL	2.548 mL	5.0961 mL
10 mM	0.2548 mL	1.274 mL	2.548 mL
50 mM	0.051 mL	0.2548 mL	0.5096 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

Reference

Snaebjornsson MT, et al. Non-canonical functions of enzymes facilitate cross-talk between cell metabolic and regulatory pathways. *Exp Mol Med*. 2018 Apr 16;50(4):34.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481