


D-Hexamannuronic acid

Chemical Properties

CAS No. :	183668-52-2
Formula:	C ₃₆ H ₅₀ O ₃₇
Molecular Weight:	1074.759
Storage:	Powder: -20°C for 3 years In solvent: -80°C for 1 year Actual storage temperature shall be subject to the COA.



Biological Description

Description	D-Hexamannuronic acid, an alginate oligomer, is derived from marine brown algae and a restricted group of Gram-negative bacteria. This compound serves as a valuable tool for investigating pain and vascular dementia [4].
Targets(IC50)	Others,Antibacterial

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	0.9304 mL	4.6522 mL	9.3044 mL
5 mM	0.1861 mL	0.9304 mL	1.8609 mL
10 mM	0.093 mL	0.4652 mL	0.9304 mL
50 mM	0.0186 mL	0.093 mL	0.1861 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Note: The dilution table applies only to solid products. For liquid products, please calculate the stock solution based on the stated concentration and/or density.

Reference

- Heyraud A, et, al. HPLC analysis of saturated or unsaturated oligoguluronates and oligomannuronates. Application to the determination of the action pattern of *Halictis tuberculata* alginate lyase. *Carbohydr Res.* 1996 Sep 23; 291:115-26.
- Iwamoto M, et, al. Structure-activity relationship of alginate oligosaccharides in the induction of cytokine production from RAW264.7 cells. *FEBS Lett.* 2005 Aug 15; 579(20): 4423-9.
- Geng M, et, al. Application of sodium alginate oligose and derivative to treatment of pain. CN106344595A.
- Geng M, et, al. Application of sodium alginate oligose and derivative to treatment of vascular dementia. CN106344593A.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:34 Washington Street,Wellesley Hills,MA 02481