

According to the UN GHS revision 8

Creation Date: April 20, 2026

Revision Date: April 20, 2026

## 1. IDENTIFICATION

### 1.1 GHS Product identifier

Product name: (-)-borneol

Catalog Number: T3741

CAS Number: 464-45-9

### 1.2 Other means of identification

Other names: -

### 1.3 Recommended use of the chemical and restrictions on use

Identified uses: no data available

### 1.4 Supplier's details

Company: Targetmol Chemicals Inc.

Address: 34 Washington Street, Wellesley Hills, Massachusetts 02481 USA

Tel/Fax: (781) 999-4286

### 1.5 Emergency phone number

Emergency phone number: 781-999-4286

Service hours: Monday to Friday, 9am-5pm (Standard timezone: UTC/GMT -5 hours).

## 2. HAZARD IDENTIFICATION

### 2.1 Classification of the substance or mixture

Flammable solids, Category 1

Skin irritation, Category 2

### 2.2 GHS label elements, including precautionary statements

Pictogram(s):



Signal word: Danger

Hazard statement(s):  
H228 Flammable solid  
H315 Causes skin irritation

Precautionary statement(s):

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P264 Wash ... thoroughly after handling.

P370+P378 In case of fire: Use ... to extinguish.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P321 Specific treatment (see ... on this label).

P332+P317 If skin irritation occurs: Get medical help.

P362+P364 Take off contaminated clothing and wash it before reuse.

Prevention:

Response:

**Storage:** none

**Disposal:** none

### 2.3 Other hazards which do not result in classification

no data available

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number
(-)-borneol	-	464-45-9	207-353-1

## 4. FIRST-AID MEASURES

### 4.1 Description of necessary first-aid measures

#### General advice

no data available

#### If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a d°ctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

#### Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a d°ctor.

#### Following eye contact

Rinse with pure water for at least 15 minutes. Consult a d°ctor.

#### Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a d°ctor or Poison Control Center immediately.

### 4.2 Most important symptoms/effects, acute and delayed

Immediate First Aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or p°cket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting °ccurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Camphor and related compounds

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

Excerpt from ERG Guide 133 [Flammable Solids]: Fire may produce irritating and/or toxic gases. Contact may cause burns to skin and eyes. Contact with molten substance may cause severe burns to skin and eyes. Runoff from fire control may cause pollution. (ERG, 2016)

## 5. FIRE-FIGHTING MEASURES

### 5.1 Extinguishing media

Excerpt from ERG Guide 133 [Flammable Solids]: SMALL FIRE: Dry chemical, CO<sub>2</sub>, sand, earth, water spray or regular foam. LARGE FIRE: Water spray, fog or regular foam. Move containers from fire area if you can do it without risk. Fire Involving Metal Pigments or Pastes (e.g. "Aluminum Paste") Aluminum Paste fires should be treated as a combustible metal fire. Use DRY sand, graphite powder, dry sodium chloride-based extinguishers, G-1? or Met-L-X? powder. Also, see ERG Guide 170. FIRE INVOLVING TANKS OR CAR/TRAILER LOADS: Cool containers with flooding quantities of water until well after fire is out. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. ALWAYS stay away from tanks engulfed in fire. (ERG, 2016)

### 5.2 Specific hazards arising from the chemical

Excerpt from ERG Guide 133 [Flammable Solids]: Flammable/combustible material. May be ignited by friction, heat, sparks or flames. Some may burn rapidly with flare-burning effect. Powders, dusts, shavings, borings, turnings or cuttings may explode or burn with explosive violence. Substance may be transported in a molten form at a temperature that may be above its flash point. May re-ignite after fire is extinguished. (ERG, 2016)

### 5.3 Special protective actions for fire-fighters

## A DRUG SCREENING EXPERT

---

Wear self-contained breathing apparatus for firefighting if necessary.

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### 6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

Powder: -20°C for 3 years | In solvent: -80°C for 1 year

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

##### Occupational Exposure limit values

no data available

##### Biological limit values

no data available

#### 8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

#### 8.3 Individual protection measures, such as personal protective equipment (PPE)

##### Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

##### Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

##### Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

##### Thermal hazards

no data available

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid
Color	White
Odour	Piney, camphor-like odor

<b>Melting point/freezing point</b>	204-208°C
<b>Boiling point or initial boiling point and boiling range</b>	210°C
<b>Flammability</b>	no data available
<b>Lower and upper explosion limit/flammability limit</b>	no data available
<b>Flash point</b>	65°C
<b>Auto-ignition temperature</b>	no data available
<b>Decomposition temperature</b>	no data available
<b>pH</b>	no data available
<b>Kinematic viscosity</b>	no data available
<b>Solubility</b>	Chloroform: Soluble, DMSO: 250 mg/mL (1620.75 mM),Sonication is recommended. Ethanol: Soluble, (< 1 mg/ml refers to the product slightly soluble or insoluble)
<b>N-octanol-water partition coefficient</b>	log Kow = 2.69
<b>Vapour pressure</b>	33.5 mm Hg ( 25 °C)
<b>Density and/or relative density</b>	0.992g/cm <sup>3</sup>
<b>Relative vapour density</b>	5.31 (vs air)
<b>Particle characteristics</b>	no data available

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

Flammable. Insoluble in water.

### 10.2 Chemical stability

no data available

### 10.3 Possibility of hazardous reactions

BORNEOL is an alcohol. Flammable and/or toxic gases are generated by the combination of alcohols with alkali metals, nitrides, and strong reducing agents. They react with oxoacids and carboxylic acids to form esters plus water. Oxidizing agents convert them to aldehydes or ketones. Alcohols exhibit both weak acid and weak base behavior. They may initiate the polymerization of isocyanates and epoxides.

### 10.4 Conditions to avoid

no data available

### 10.5 Incompatible materials

no data available

### 10.6 Hazardous decomposition products

no data available

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Oral: LD50 Mice oral 1059 mg/kg

Inhalation: no data available

Dermal: no data available

### Skin corrosion/irritation

no data available

### Serious eye damage/irritation

no data available

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

### Carcinogenicity

no data available

### Reproductive toxicity

no data available

### STOT-single exposure

no data available

### STOT-repeated exposure

no data available

### Aspiration hazard

no data available

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

### 12.2 Persistence and degradability

AEROBIC: Borneol was listed as a compound which is very difficult to degrade; it was classified as category 4 (very difficult to degrade) in a 5 tiered rating system on ease of biodegradability(1). In a batch test, 90% removal of borneol was achieved using acclimated activated sludge at 20 deg C resulting in a calculated degradation rate of 8.9 mg COD/g-hr(2). Borneol, present at 100 mg/L, reached 97% of its theoretical BOD in 4 weeks using an activated sludge in°Culum at 30 mg/L in the Japanese MITI test(3). Borneol, present at 18.7 ng/mL, was 53% degraded over 28 weeks when incubated with groundwater contaminated with creosote. Using a starting concentration of 33.7 ng/mL, borneol concentration was decreased to 12.2 ng/mL using the same in°Culum but treated with 1% sodium azide(4).

### 12.3 Bioaccumulative potential

An estimated BCF of 30 was calculated in fish for borneol(SRC), using a log Kow of 2.69(1) and a regression-derived equation(1). According to a classification scheme(2), this BCF suggests the potential for bi°Ccentration in aquatic organisms is moderate(SRC).

### 12.4 Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the K°C of borneol can be estimated to be 76(SRC). According to a classification scheme(2), this estimated K°C value suggests that borneol is expected to have high mobility in soil.

### 12.5 Other adverse effects

no data available

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Disposal methods

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### Contaminated packaging

## A DRUG SCREENING EXPERT

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

### 14. TRANSPORT INFORMATION

#### 14.1 UN Number

no data available

#### 14.2 UN Proper Shipping Name

no data available

#### 14.3 Transport hazard class(es)

no data available

#### 14.4 Packing group, if applicable

no data available

#### 14.5 Environmental hazards

no data available

#### 14.6 Special precautions for user

no data available

#### 14.7 Transport in bulk according to IMO instruments

no data available

### 15. REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)	Listed.
EC Inventory	Listed.
United States Toxic Substances Control Act (TSCA) Inventory	Listed.
China Catalog of Hazardous chemicals 2015	Not Listed.
New Zealand Inventory of Chemicals (NZI <sup>o</sup> C)	Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Listed.
Vietnam National Chemical Inventory	Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)	Listed.
Korea Existing Chemicals List (KECL)	Not Listed.

### 16. OTHER INFORMATION

#### Information on revision

**Creation Date** April 20, 2026

**Revision Date** April 20, 2026

#### Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

### References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_l°Cale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_l°Cale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

### Other Information

no data available

---

*Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product. All products are for Research Use Only · Not For Human or Veterinary or Therapeutic Use*