# Safety Data Sheet



According to the UN GHS revision 8

Creation Date: May 29, 2024 Revision Date: May 29, 2024

#### 1. IDENTIFICATION

#### 1.1 GHS Product identifier

Product name: Niacin

Catalog Number: T0879

CAS Number: 59-67-6

#### 1.2 Other means of identification

Other names:

## 1.3 Recommended use of the chemical and restrictions on use

Identified uses: no data available

1.4 Supplier's details

Company: Targetmol Chemicals Inc.

Uses advised against: 36 Washington Street, Wellesley Hills, Massachusetts 02481 USA

Tel/Fax: (781) 999-4286

1.5 Emergency phone number

**Emergency phone number:** 781-999-4286

Service hours: Monday to Friday, 9am-5pm (Standard timezone: UTC/GMT -5hours).

## 2. HAZARD IDENTIFICATION

# 2.1 Classification of the substance or mixture

Eye irritation, Category 2

## 2.2 GHS label elements, including precautionary statements

Pictogram(s):

Signal word: Warning

Hazard statement(s): H319 Causes serious eye irritation

Precautionary statement(s):

P264 Wash ... thoroughly after handling.

**Prevention:** P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection/...

Response:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

Storage: none
Disposal: none

# 2.3 Other hazards which do not resultin classification

no data available

Page 1 of 7 www.targetmol.com

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number
Niacin	-	59-67-6	200-441-0

#### 4. FIRST-AID MEASURES

# 4.1 Description of necessary first-aid measures

#### General advice

no data available

If inhaled

Fresh air, rest.

#### Following skin contact

Rinse skin with plenty of water or shower.

#### Following eye contact

Rinse with plenty of water (remove contact lenses if easily possible).

#### Following ingestion

Rinse mouth. Give one or two glasses of water to drink.

## 4.2 Most important symptoms/effects, acute and delayed

Immediate withdrawal of niacin is the primary treatment in acute toxicity. Symptoms should resolve over several hours with sequelae. Aspirin or nonsteroidal antiinflammatory drugs can be used for symptoms. For chronic toxicity treatment, niacin should be stopped and attention given to presenting symptoms and findings. Patients with significant hepatotoxicity may require intensive care monitoring and supportive care until liver function recovers. ... Treatment of rhabdomyolysis includes monitoring of renal function, urinary alkalinization, and maintenance of urinary output.

# 4.3 Indication of immediate medical attention and special treatment needed, if necessary

SYMPTOMS: Symptoms of exposure to this compound include impaired liver function, dryness of the skin, anorexia, nausea, vomiting, diarrhea, activation of peptic ulcers, hepatic disease, hyperuricemia and circulatory collapse (after rapid intravenous injection). It may cause temporary flushing and a feeling of warmth, temporary headache, itching, tingling, skin rash and allergies. It may also cause burning of the skin, face and upper trunk and elevation of serum bilirubin. Other symptoms include mild irritation of upper respiratory tract and gastrointestinal disturbances. It may cause dyspepsia, hyperpigmentation, decrease in excretion of bromosulfophthalein, increase of plasma transaminase activities, incidence of acute gouty arthritis, acanthosis nigricans, hyperglycemia, increased vasodilation and cystoid edema of the macula. It may also cause furunculosis and other skin lesions, hypotension, abdominal cramps, mild diabetes and urticaria. Other symptoms include pruritus, toxic amblyopia, jaundice and decreased glucose tolerance.

ACUTE/CHRONIC HAZARDS: This compound may cause mild irritation to the upper respiratory tract. When heated to decomposition it may emit toxic fumes of NOx. (NTP, 1992)

## 5. FIRE-FIGHTING MEASURES

# 5.1 Extinguishing media

Fires involving this material can be controlled with a dry chemical, carbon dioxide or Halon extinguisher. A water spray may also be used. (NTP, 1992)

#### 5.2 Specific hazards arising from the chemical

Flash point data for this chemical are not available; however, it is probably combustible. (NTP, 1992)

#### 5.3 Special protective actions for fire-fighters

Use water spray, foam, powder, carbon dioxide.

### 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect

Page 2 of 7 www.targetmol.com

remainder. Then store and dispose of according to l°Cal regulations.

#### 6.2 Environmental precautions

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to l°Cal regulations.

## 6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

#### 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

NO open flames. Prevent deposition of dust. Closed system, dust explosion-proof electrical equipment and lighting. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in an area without drain or sewer access. Separated from strong acids, bases and oxidants.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Occupational Exposure limit values

no data available

**Biological limit values** 

no data available

#### 8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

#### 8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety goggles.

**Skin protection** 

Protective gloves.

Respiratory protection

Avoid inhalation of dust.

Thermal hazards

no data available

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Solid. Powder.

Color White.

Odour Odorless

Melting point/ freezing point 236.6 °C.

Boilingpoint or initial boiling point

and boiling range

Remarks: No boiling point determined. The substance sublimes at temperatures > 236.6 °C.

**Flammability** Combustible. Gives off irritating or toxic fumes (or gases) in a fire.

Page 3 of 7 www.targetmol.com

Lower and upper explosion imit/flammability limit no data available

unit/itaminability unit

Flash point 193°C

**Auto-ignition temperature** Remarks: No self-heating observed up to sublimation at ca. 250 °C.

**Decomposition temperature** no data available

pH = 2.7 (saturated aq soln)

Kinematic viscosity \_\_\_ no data available

Solubility H2O: 2 mg/mL (16.24 mM),<br/>sthanol: <1 mg/mL (insoluble or slightly soluble),<br/>br/>DMSO: 20

mg/mL (162.46 mM), Sonication is recommended.

N-octanol-water partition

coefficient

log Pow = -0.59. Temperature:25 °C.; log Pow = -2.34. Temperature:25 °C.

Vapour pressure 5.70X10-6 mm Hg at 25 deg C (est)

**Density and/ or relative density** 1.473 g/cm3. Temperature:25 °C.

**Relative vapour density** no data available

Particle characteristics no data available

#### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

On combustion, forms toxic gases including nitrogen oxides. Reacts with oxidants, strong acids and bases.

## 10.2 Chemical stability

Stable in air

#### 10.3 Possibility of hazardous reactions

Dust explosion possible if in powder or granular form, mixed with air.NICOTINIC ACID is incompatible with strong oxidizers. It is also incompatible with sodium nitrite. (NTP, 1992)

## 10.4 Conditions to avoid

no data available

## 10.5 Incompatible materials

Dust explosion. Avoid contact with strong acids, alkaline solutions and oxidizing agents.

## 10.6 Hazardous decomposition products

When heated to decomposition it emits toxic fumes of nitroxides.

# 11. TOXICOLOGICAL INFORMATION

## **Acute toxicity**

Oral: LD50 - rat (male) - 5 210 mg/kg bw.

Inhalation: LC50 - rat (male/female) - > 3.8 mg/L air (analytical).

Dermal: LD50 - rat (male/female) - > 2 000 mg/kg bw.

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

The substance is mildly irritating to the eyes.

STOT-repeated exposure

no data available

**Aspiration hazard** 

A nuisance-causing concentration of airborne particles can be reached quickly when dispersed, especially if powdered.

## 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Toxicity to fish: LC50 - Salmo trutta - 520 mg/L - 96 h.

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna - 77 mg/L - 48 h.

Toxicity to algae: EC50 - Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) - 89.933 mg/L - 72 h.

Toxicity to microorganisms: EC10 - Pseudomonas putida - 88 mg/L - 16 h.

## 12.2 Persistence and degradability

AEROBIC: In aqueous, aerobic soil suspensions containing mineral salts and a fertile garden soil in Culum, nicotinic acid was completely degraded after 2 to 4 days of incubation(1). In aqueous, aerobic soil suspensions containing a silt loam soil in Culum, nicotinic acid was degraded by 16.1% after 1 day, 99.9% after 2 days, and 100% after 4 days of incubation(2). Nicotinic acid was readily biodegraded in screening tests using an activated sludge in Culum(3).

#### 12.3 Bioaccumulative potential

An estimated BCF of 3 was calculated in fish for nicotinic acid(SRC), using a log Kow of 0.36(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bi°Concentration in aquatic organisms is low(SRC).

## 12.4 Mobility in soil

The K°C of nicotinic acid is estimated as 37(SRC), using a log Kow of 0.36(1) and a regression-derived equation(2). According to a classification scheme(3), this estimated K°C value suggests that nicotinic acid is expected to have very high mobility in soil. The pKa of nicotinic acid is 4.75(4), indicating that this compound will primarily exist in the anion form in the environment and anions generally do not adsorb more strongly to soils containing organic carbon and clay than their neutral counterparts(5).

#### 12.5 Other adverse effects

no data available

# 13. DISPOSAL CONSIDERATIONS

## 13.1 Disposal methods

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

## Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

## 14. TRANSPORT INFORMATION

# 14.1 UN Number

no data available

## 14.2 UN Proper Shipping Name

Page 5 of 7 www.targetmol.com

no data available

# 14.3 Transport hazard class(es)

no data available

# 14.4 Packing group, if applicable

no data available

#### 14.5 Environmental hazards

no data available

## 14.6 Special precautions for user

no data available

## 14.7 Transport in bulk according to IMO instruments

no data available

15.

# **REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)	Listed.
EC Inventory	Listed.
United States Toxic Substances Control Act (TSCA) Inventory	Listed.
China Catalog of Hazardous chemicals 2015	Not Listed.
New Zealand Inventory of Chemicals (NZI°C)	Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Listed.
Vietnam National Chemical Inventory	Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)	Listed.
Korea Existing Chemicals List (KECL)	Listed.

## 16. OTHER INFORMATION

#### Information on revision

Creation Date May 29, 2024

Revision Date May 29, 2024

#### Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

#### References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.

org/echemportal/index?pageID=0&request\_l°Cale=en

CAMEO Chemicals, website: http://came°Chemicals.noaa.gov/search/simple

Page 6 of 7 www.targetmol.com

ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp ECHA - European Chemicals Agency, website: https://echa.europa.eu/

#### **Other Information**

no data available

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product. All products are for Research Use Only · Not For Human or Veterinary or Therapeutic Use

Page 7 of 7 www.targetmol.com